



| Sr. | IMAGE   | TORC STAR DESCRIPTION   |
|-----|---|---|
| 1   |     | <ul style="list-style-type: none"> <li>* TPCCBM-E-2"-6"</li> <li>* PIPE COLD CUTTING &amp; BEVELING MACHINE</li> <li>*</li> <li>* Pipe Cold Cutting and Beveling Machine</li> <li>*</li> <li>* Model: TPCCBM-E-2"-6"</li> <li>* Electric Driven,</li> <li>* Power supply: 220-240V 1PH 50/60HZ</li> <li>* Power: 2400W</li> <li>* Working Range (OD): 2"-6" (50-168mm)</li> <li>* Wall Thickness: ≤30mm (Standard Tool Slide)</li> <li>* Packing</li> <li>* Size:720*640*290mm, Plywood case</li> <li>* Working Weight: 40 KGS</li> <li>* Shipping Weight: 73 KGS</li> <li>* All standard accessories included</li> </ul> |
| 2   |   | <ul style="list-style-type: none"> <li>* TPCCBM-E-6"-12"</li> <li>* PIPE COLD CUTTING &amp; BEVELING MACHINE</li> <li>*</li> <li>* Pipe Cold Cutting and Beveling Machine</li> <li>* Model: TCSI-E-6"-12"</li> <li>* Electric Driven,</li> <li>* Power supply: 220-240V 1PH 50/60HZ</li> <li>* Power: 2400W</li> <li>* Working Range (OD): 6"- 12" (168-325mm)</li> <li>* Wall Thickness: ≤30mm (Standard Tool Slide)</li> <li>* Packing</li> <li>* Size:800*735*275mm, Plywood case</li> <li>* Working Weight: 54 KGS</li> <li>* Shipping Weight: 95 KGS</li> <li>* All standard accessories included</li> </ul>         |
| 3   |  | <ul style="list-style-type: none"> <li>* TPCCBM-E-12"-18"</li> <li>* PIPE COLD CUTTING &amp; BEVELING MACHINE</li> <li>*</li> <li>* Pipe Cold Cutting and Beveling Machine</li> <li>* Model: TPCCBM-E-12"-18"</li> <li>* Electric Driven,</li> <li>* Power supply: 220-240V 1PH 50/60HZ</li> <li>* Power: 2400W</li> <li>* Working Range (OD): 12"- 18" (300-457mm)</li> <li>* Wall Thickness: ≤30mm (Standard Tool Slide)</li> <li>* Packing</li> <li>* Size:880*740*290mm, Plywood case</li> <li>* Working Weight: 71.5 KGS</li> <li>* Shipping Weight: 112 KGS</li> <li>* All standard accessories included</li> </ul> |

|   |   |  |
|---|---|--|
| 4 |   | <ul style="list-style-type: none"> <li>* TPCCBM-E-18"-24"</li> <li>* PIPE COLD CUTTING &amp; BEVELING MACHINE</li> <li>*</li> <li>* Pipe Cold Cutting and Beveling Machine</li> <li>* Model: TPCCBM-E-18"-24"</li> <li>* Electric Driven,</li> <li>* Power supply: 220-240V 1PH 50/60HZ</li> <li>* Power: 2400W</li> <li>* Working Range (OD): 18"- 24" (457-610mm)</li> <li>* Wall Thickness: ≤30mm (Standard Tool Slide)</li> <li>* Packing</li> <li>* Size:1080*900*350mm, Plywood case</li> <li>* Working Weight: 105 KGS</li> <li>* Shipping Weight: 160 KGS</li> <li>* All standard accessories included</li> </ul>  |
| 5 |  | <ul style="list-style-type: none"> <li>* TPCCBM-E-24"-30"</li> <li>* PIPE COLD CUTTING &amp; BEVELING MACHINE</li> <li>*</li> <li>* Pipe Cold Cutting and Beveling Machine</li> <li>* Model: TPCCBM-E-24"-30"</li> <li>* Electric Driven,</li> <li>* Power supply: 220-240V 1PH 50/60HZ</li> <li>* Power: 2400W</li> <li>* Working Range (OD): 24"- 30" (600-762mm)</li> <li>* Wall Thickness: ≤30mm (Standard Tool Slide)</li> <li>* Packing</li> <li>* Size:1090*1090*340mm, Plywood case</li> <li>* Working Weight: 145 KGS</li> <li>* Shipping Weight: 200 KGS</li> <li>* All standard accessories included</li> </ul> |

|   |   |   |
|---|---|---|
| 6 |     | <ul style="list-style-type: none"> <li>* TPCCBM-E-30"-36"</li> <li>* PIPE COLD CUTTING &amp; BEVELING MACHINE</li> <li>*</li> <li>* Pipe Cold Cutting and Beveling Machine</li> <li>* Model: TPCCBM-E-30"-36"</li> <li>* Electric Driven,</li> <li>* Power supply: 220-240V 1PH 50/60HZ</li> <li>* Power: 2400W</li> <li>* Working Range (OD): 30"- 36" (762-914mm)</li> <li>* Wall Thickness: ≤30mm (Standard Tool Slide)</li> <li>* Packing Size: 1250*1250*380mm,</li> <li>* Plywood case</li> <li>* Working Weight: 191 KGS</li> <li>* Shipping Weight: 262 KGS</li> <li>* All standard accessories included</li> </ul> |
| 7 |    | <ul style="list-style-type: none"> <li>* TPCCBM-E-36"-42"</li> <li>* PIPE COLD CUTTING &amp; BEVELING MACHINE</li> <li>*</li> <li>* Pipe Cold Cutting and Beveling Machine</li> <li>* Model: TPCCBM-E-36"-42"</li> <li>* Electric Driven,</li> <li>* Power supply: 220-240V 1PH 50/60HZ</li> <li>* Power: 2400W</li> <li>* Working Range (OD): 36"- 42" (914-1066mm)</li> <li>* Wall Thickness: ≤30mm (Standard Tool Slide)</li> <li>* Packing Size: 1430*810*380mm, Plywood case</li> <li>* Working Weight: 271 KGS</li> <li>* Shipping Weight: 372 KGS</li> <li>* All standard accessories included</li> </ul>            |
| 8 |  | <ul style="list-style-type: none"> <li>* TPCCBM-E-42"-48"</li> <li>* PIPE COLD CUTTING &amp; BEVELING MACHINE</li> <li>*</li> <li>* Pipe Cold Cutting and Beveling Machine</li> <li>* Model: TPCCBM-E-42"-48"</li> <li>* Electric Driven,</li> <li>* Power supply: 220-240V 1PH 50/60HZ</li> <li>* Power: 2400W</li> <li>* Working Range (OD): 42"- 48" (1066-1230mm)</li> <li>* Wall Thickness: ≤30mm (Standard Tool Slide)</li> <li>* Packing Size: 1640*910*380mm, Plywood case</li> <li>* Working Weight: 358 KGS</li> <li>* Shipping Weight: 472 KGS</li> <li>* All standard accessories included</li> </ul>           |